

The Invisible Intelligence of Nursing: The Mind Behind the Hands *A Conceptual Perspective Across Diverse Nursing and Disability Care Contexts*

Azhar Ali Alazhary¹, Premalatha Ra. Janani Dheepak^{2*}, Samar Turki Alanazi³, Hadeel Majed AlYousef⁴, Ali Bani Mfarrij⁵, Ali Alsaleh⁶

¹ Unit Manager, Neurology, National Neuroscience Institute Nursing Administration, KFMC, Riyadh, Saudi Arabia.

² SM & NQMA, National Neuroscience Institute Nursing Administration, Riyadh, Saudi Arabia.

³ High Dependency Unit, National Neuroscience Institute Nursing Administration, KFMC, Riyadh, Saudi Arabia.

⁴ Quality, National Neuroscience Institute Nursing Administration, KFMC, Riyadh, Saudi Arabia.

⁵ Unit Manager, Pediatric Nephrology, Children's Hospital, KFMC, Riyadh, Saudi Arabia.

⁶ Shift Manager, Acute Stroke Unit, National Neuroscience Institute Nursing Administration KFMC, Riyadh, Saudi Arabia.

*Corresponding author: Premalatha Email: premjaya76@gmail.com

ORCID: <https://orcid.org/0009-0002-3570-7826>, Web of Science Researcher: ID: QUS-7979-2026

HOW TO CITE:

Azhar Ali Alazhary, Premalatha Ra. Janani Dheepak, Samar Turki Alanazi, Hadeel Majed AlYousef, Ali Bani Mfarrij, Ali Alsaleh (2026). The Invisible Intelligence of Nursing: The Mind Behind the Hands A Conceptual Perspective Across Diverse Nursing and Disability Care Contexts International Journal of Special Education, 41(25s), 62 - 68

ABSTRACT:

Professional nursing extends beyond visible clinical tasks and involves continuous cognitive, practical, emotional, relational, and reflective processes. This conceptual article introduces the Mind-Hand Integration Framework, comprising four interconnected dimensions: Mind-On, Hands-On, Heart-On, and Reflection-On. Mind-On represents clinical knowledge, reasoning, judgment, and decision-making; Hands-On reflects the translation of clinical thinking into safe and purposeful nursing actions; Heart-On emphasizes compassion, communication, dignity, and human connection; and Reflection-On involves evaluation, learning, and continuous improvement. The framework provides a conceptual lens for understanding nursing care across general and disability-inclusive contexts. While the fundamental goals of nursing remain consistent, care for individuals with disabilities may require appropriate individualization and adaptation in assessment, communication, interventions, patient participation, and education. The framework complements the nursing process by making the thinking, action, caring, and reflection underlying nursing practice more explicit. It may support nursing education, clinical practice, leadership, patient safety, quality improvement, and inclusive, person-centred care. As a conceptual framework, further theoretical refinement and empirical testing are required to establish measurable constructs and examine relationships among its dimensions. Overall, the framework emphasizes that professional nursing integrates thinking, doing, caring, and reflecting to promote safe, individualized, compassionate, and inclusive care.

Keywords: Professional nursing; Mind-Hand Integration Framework; Clinical reasoning; Clinical judgment; Disability-inclusive

COPYRIGHT STATEMENT:

Copyright: © 2026 Authors.
Open access publication under the terms and conditions of the Creative Commons Attribution (CC BY)

license (<http://creativecommons.org/licenses/by/4.0/>).

care; Person -Centered care; Compassionate care; Reflection; Patient safety; Nursing education

Introduction

Nursing is often understood through activities that can be readily observed, including medication administration, monitoring, hygiene care, feeding, repositioning, mobility assistance, and providing comfort. However, these visible activities represent only one part of professional nursing. Professional practice also requires nurses to apply knowledge, critical thinking, clinical reasoning, judgment, and decision-making when responding to patients' needs (AACN, 2021). Thus, nursing involves substantial cognitive work that may remain unnoticed behind each clinical action.

This cognitive dimension is particularly important when patients experience changing or uncertain conditions. Nurses continuously gather and interpret information, recognize meaningful changes, identify priorities, and select appropriate responses. Clinical reasoning enables nurses to connect patient information with clinical judgments and subsequent actions (Griffits et al., 2023). Clinical decision-making similarly requires nurses to collect, analyze, and evaluate information before determining an appropriate course of care (Lavoie et al., 2023).

Even routine nursing interventions may involve complex thinking. For example, repositioning a patient requires consideration of mobility, pain, neurological condition, skin integrity, pressure-injury risk, respiratory status, medical devices, and individual tolerance. Medication administration also involves assessment, verification, identification of potential risks, monitoring, and evaluation. These processes demonstrate that nursing actions are not simply physical activities; they are the outcomes of ongoing clinical reasoning and judgment (Zainal et al., 2025).

Nurses also work within environments characterized by multiple patients, competing priorities, interruptions, procedures, documentation, alarms, and unexpected changes.

Managing these demands requires continuous information processing, prioritization, and decision-making (Surendran et al., 2024). Clinical decisions may also be influenced by previous experiences, assumptions, and cognitive biases, making critical self-awareness an important component of professional judgment (O'Connor et al., 2023; Thirsk et al., 2022).

The same invisible cognitive process is evident in communication and care coordination. Before escalating a patient's condition, for example, the nurse may assess the patient, recognize a significant change, interpret its possible meaning, establish its urgency, and determine the appropriate person or service to contact. Communication is therefore not merely the transfer of information but the expression of preceding clinical assessment, reasoning, prioritization, and judgment (Hants et al., 2023).

Clinical judgment develops through education, experience, reflection, and exposure to complex clinical situations. Evidence supports the value of educational interventions for strengthening nurses' clinical judgment (Mendívil-Pérez et al., 2025). However, assessment of clinical judgment remains an evolving area, particularly during the transition from nursing education to professional practice (Bussard et al., 2024).

Need for the Conceptual Approach

Nursing practice encompasses much more than the tasks that can be seen at the bedside. Behind each action is a continuing process of observing, interpreting, reasoning, judging, deciding, communicating, and reflecting. *Making this cognitive and relational work visible is important for recognizing the full nature of professional nursing.*

The Mind–Hand Integration Framework is proposed as a conceptual lens for describing this often-unrecognized dimension of nursing through four interconnected components: Mind-On, Hands-On, Heart-On, and Reflection-On. These dimensions represent the integration of

thinking, purposeful action, compassionate care, and reflective learning within nursing practice.

The framework is applicable across different patient populations and care settings. In disability-inclusive care, the fundamental goals of nursing safety, dignity, comfort, autonomy, health, and participation remain unchanged. However, the methods of assessment, communication, intervention, education, mobility assistance, environmental support, and patient participation may need to be adapted according to each person's abilities, preferences, communication style, and needs.

Therefore, the framework emphasizes that professional nursing is an integrated process rather than a collection of physical tasks. The hands perform the care, but the mind directs it; the heart humanizes it, and reflection strengthens it. Nursing is consequently defined not only by what nurses do, but also by the thinking, compassion, purpose, and reflection that shape how care is provided.

The Hidden Dimensions of Professional Nursing Practice

Professional nursing is more than the visible tasks performed at the bedside. Checking vital signs, administering medications, assisting patients, and documenting care are only the observable aspects

of practice. Behind every action, nurses continuously observe, think, interpret, anticipate, prioritize, and decide. Thus, nursing actions are not simply tasks; they are purposeful interventions guided by knowledge, clinical reasoning, professional judgment, and an understanding of the individual patient.

The preceding discussion demonstrates that nursing practice extends far beyond the visible performance of clinical tasks. Every action is preceded, accompanied, and followed by cognitive, emotional, relational, and reflective processes. The nurse observes a patient's condition, interprets subtle changes, identifies priorities, anticipates potential risks, selects an appropriate response, implements care, and reassesses the outcome often within seconds and sometimes under considerable uncertainty.

For example, a seemingly simple action such as administering medication may involve reviewing the patient's condition, interpreting assessment findings, considering risks, verifying the medication, anticipating possible responses, communicating with the patient, and evaluating the outcome. Similarly, assisting a patient with mobility requires not only physical support but also clinical judgment regarding safety, strength, balance, pain, functional ability, and individual preferences.



Figure 1 illustrates the hidden dimensions of professional nursing

practice

, demonstrating that visible nursing actions are supported by interconnected cognitive, practical, emotional, relational, and reflective processes. Therefore, what is visible at the bedside represents only the endpoint of a much broader professional process. *The hands perform the care, the mind directs it, the heart humanizes it, and reflection guides continuous improvement.* These dimensions work together to transform clinical knowledge and patient information into *safe, purposeful, individualized, and compassionate care.* They also highlight the professional intelligence that

remains largely invisible behind every nursing action.

The Mind - Hand Integration Framework of Nursing Practice

The preceding discussion demonstrates that nursing practice extends far beyond the visible performance of clinical tasks. Every action is preceded, accompanied, and followed by cognitive, emotional, relational, and reflective processes. The nurse observes, interprets, prioritizes, anticipates, decides, acts, and reassesses often within seconds and sometimes under considerable uncertainty.




Figure 2 illustrates the continuous integration of Mind-On, Hands-On, Heart-On, and Reflection-On in professional nursing practice.

The process begins with observation and clinical reasoning, is translated into purposeful nursing action, strengthened through compassionate and person-centred connection, and followed by evaluation, learning, adaptation, and improvement. *The cycle supports safe, individualized,*

compassionate, and inclusive care. The framework encourages nurses to recognize that every visible nursing action is supported by an underlying process of thinking, doing, caring, and reflecting. Thus, *the hands perform the care, the mind directs it, the heart humanizes it, and reflection strengthens it.*

Application to the Individual Nurse

The framework encourages nurses to consciously ask four questions:

Dimension	Guiding Question
Mind-On	What is happening, and what does it mean?
Hands-On	What action is needed?
Heart-On	How is the patient experiencing this care?
Reflection-On	Did it work, and what can I learn?

These questions can strengthen clinical reasoning, professional accountability, patient-centered care, and continuous learning.

Application to Patient Safety and Quality Improvement

The framework can also support patient safety and quality improvement.

Minds on	supports recognition and interpretation of risks
Hands -on	supports timely and appropriate intervention.
Heart-On	supports patient involvement dignity, communication and understanding
Reflection-On	supports evaluation, learning and improvement.

The framework therefore complements existing quality-improvement approaches by connecting clinical observation → reasoning → action → patient experience → evaluation → learning.

Relationship with the Nursing Process

The Mind–Hand Integration Framework is not intended to replace the traditional nursing process. Rather, it provides a conceptual perspective for understanding the cognitive, practical, relational, and reflective processes occurring within and across its stages.

Nursing Process	Mind–Hand Integration
Assessment	Mind-On
Nursing diagnosis/clinical judgment	Mind-On
Planning	Mind-On
Implementation	Hands-On + Heart-On
Evaluation	Reflection-On

In general nursing care, this integration supports appropriate and individualized care. In care for individuals with disabilities, the same process may additionally require consideration of how assessment, planning, communication, intervention, and evaluation should be adapted to individual needs.

Comparative Application: Nursing care across Diverse contexts: General and disability inclusive care Disabilities

Aspect	General Nursing care	Disability inclusive care
--------	----------------------	---------------------------

Assessment	Standard clinical assessment adapted to patient condition	May require adapted assessment methods and additional attention to communication or functional needs
Communication	Verbal and non-verbal therapeutic communication	May require alternative or accessible communication approaches
Clinical reasoning	Interpretation of clinical cues and patient information	May require consideration of disability-related baseline characteristics and individual patterns
Intervention	Appropriate nursing intervention	Intervention may require modification according to individual abilities and needs
Patient education	Conventional verbal, written, or demonstrative approaches	May require accessible and individualized teaching methods
Patient participation	Encourage involvement in care decisions	May require additional adaptation to support autonomy and meaningful participation
Evaluation	Assess response and outcomes	Evaluate both clinical outcomes and whether the adapted approach was effective and accessible

This comparison does not imply that all individuals with disabilities require additional interventions or that general nursing care follows a single standardized approach.

Implications for Nursing

The Mind-Hand Integration Framework has potential implications across multiple areas of nursing. In **clinical practice**, it integrates clinical reasoning, purposeful action, compassion, and reflection to support safe and individualized care. In **nursing education**, it connects theoretical knowledge and clinical skills with patient experience and reflective learning, encouraging students to understand not only what to do but also why and how care should be provided. In **nursing leadership**, the framework supports prioritization, communication, delegation, coordination, and clinical decision-making. In **nursing research**, it provides a conceptual basis for developing and testing measurable constructs related to the four dimensions of the framework and examining their relationships with nursing outcomes. In **patient safety and quality improvement**, it connects clinical reasoning with appropriate action, evaluation, learning, and

continuous improvement, thereby providing a holistic perspective for strengthening the quality and safety of nursing care.

Future Research

Future studies could develop and validate a Mind-Hand Integration Assessment Tool, examine the framework among nursing students and nurses, and explore its relationship with clinical judgement, patient safety, quality of care, patient experience, and nurse wellbeing, including its application in disability care.

Conclusion

The Mind-Hand Integration Framework presents nursing as the integration of thinking, doing, caring, and reflecting. The mind guides clinical decisions, the hands translate them into action, the heart humanizes care, and reflection promotes learning and improvement. The mind directs the hands, the heart humanizes care, and reflection strengthens future practice.

References

- American Association of Colleges of Nursing. (2021). The essentials: Core competencies for professional nursing education. American Association of Colleges of Nursing. AACN Essentials
- Griffits, S., Hines, S., & Moloney, C. (2023). Characteristics and processes of registered nurses' clinical reasoning and factors relating to the use of clinical reasoning in practice: A scoping review. *JBIE Evidence Synthesis*, 21(4), 713–743. DOI: 10.11124/JBIES-21-00373

-
- Lavoie, P., Lapierre, A., Maheu-Cadotte, M.-A., Desforges, J., Crétaz, M., & Mailhot, T. (2023). Measurement properties of self-reported clinical decision-making instruments in nursing: A COSMIN systematic review. *International Journal of Nursing Studies Advances*, 5, 100122. DOI: 10.1016/j.ijnsa.2023.100122
- O'Connor, T., Gibson, J., Lewis, J., Strickland, K., & Paterson, C. (2023). Decision-making in nursing research and practice—Application of the Cognitive Continuum Theory: A meta-aggregative systematic review. *Journal of Clinical Nursing*, 32(23–24), 7979–7995. DOI: 10.1111/jocn.16893
- Surendran, A., Beccaria, L., Rees, S., & McIlveen, P. (2024). Cognitive mental workload of emergency nursing: A scoping review. *Nursing Open*, 11(2), e2111. DOI: 10.1002/nop2.2111
- Mendivil-Pérez, M., Choperena, A., Salas, V., Chocarro-Haro, M., & Oroviogicoechea, C. (2025). Interventions to develop clinical judgment among nurses: A systematic review with narrative synthesis. *Nurse Education in Practice*, 84, 104300. DOI: 10.1016/j.nepr.2025.104300
- Zainal, N. H., Islam, M. A., Rasudin, N. S., Mamat, Z., Hanis, T. M., Rodzlan Hasani, W. S., & Musa, K. I. (2025). Critical thinking and clinical decision making among registered nurses in clinical practice: A systematic review and meta-analysis. *Nursing Reports*, 15(5), 175. DOI: 10.3390/nursrep15050175
- Thirsk, L. M., Panchuk, J. T., Stahlke, S., & Hagtvedt, R. (2022). Cognitive and implicit biases in nurses' judgment and decision-making: A scoping review. *International Journal of Nursing Studies*, 133, 104284. DOI: 10.1016/j.ijnurstu.2022.104284
- Hants, L., Bail, K., & Paterson, C. (2023). Clinical decision-making and the nursing process in digital health systems: An integrated systematic review. *Journal of Clinical Nursing*, 32(19–20), 7010–7035. DOI: 10.1111/jocn.16823
- Bussard, M. E., Jessee, M. A., El-Banna, M. M., Cantrell, M. A., Alrimawi, I., Marchi, N. M., Gonzalez, L. I., Rischer, K., Coy, M. L., Poledna, M., & Lavoie, P. (2024). Current practices for assessing clinical judgment in nursing students and new graduates: A scoping review. *Nurse Education Today*, 134, 106078. DOI: 10.1016/j.nedt.2023.106078
-